


**Luminaire**

# Vali80

179-100W-10GHD/930, W



When we combine design with functionality, we get luminaires from the Vali80 family. These cylindrical luminaires come in pendant, surface and semi-recessed versions. You can use them to illuminate your household, business and social spaces or, for example, bars. You can choose from three basic colours – white, black and silver or pick a colour from the Halla RAL chart.

**Technical drawing**


|                           |                         |
|---------------------------|-------------------------|
| Type of installation      | Recessed                |
| Light distribution        | Direct                  |
| Luminaire shape           | Circular                |
| Colour of the luminaires  | White                   |
| Material                  | Aluminium               |
| Lifetime                  | L80/B10 60 000 hours    |
| Warranty                  | 5 years                 |
| Description of luminaires | Luminaire semi-recessed |
| Dimensions                | ø 80 mm × 160 mm        |
| Light source              | LED MODUL               |
| Type of optical system    | Reflector               |
| Luminous flux*            | 2830 lm                 |
| Colour Temperature        | 3000 K warm white       |
| Luminous efficacy         | 86 lm/W                 |
| MacAdam Light source      | 3                       |
| Colour rendering index    | 90                      |
| Beam angle                | 52°                     |

|                              |          |
|------------------------------|----------|
| Luminaire power input*       | 33 W     |
| Connection of the luminaires | DALI     |
| Electrical voltage           | 220-240V |
| Frequency                    | 50/60Hz  |

 **CE** IP 20

\*±10 %

## Downloads

Installation instructions



Photos

