



**Luminaire**

# Vali80

179-200U-10GDD/930, B



When we combine design with functionality, we get luminaires from the Vali80 family. These cylindrical luminaires come in pendant, surface and semi-recessed versions. You can use them to illuminate your household, business and social spaces or, for example, bars. You can choose from three basic colours – white, black and silver or pick a colour from the Halla RAL chart.

**Technical drawing**


|                           |                      |
|---------------------------|----------------------|
| Type of installation      | Surface              |
| Light distribution        | Direct               |
| Luminaire shape           | Circular             |
| Colour of the luminaires  | Black                |
| Material                  | Aluminium            |
| Lifetime                  | L90/B50 60 000 hours |
| Warranty                  | 5 years              |
| Description of luminaires | Luminaire surface    |
| Dimensions                | ø 80 mm × 160 mm     |
| Light source              | LED MODUL            |

|                        |                   |
|------------------------|-------------------|
| Type of optical system | Reflector         |
| Luminous flux*         | 990 lm            |
| Colour Temperature     | 3000 K warm white |
| Luminous efficacy      | 99 lm/W           |
| MacAdam Light source   | 3                 |
| Colour rendering index | 90                |
| Beam angle             | 25°               |

|                              |          |
|------------------------------|----------|
| Luminaire power input*       | 10 W     |
| Connection of the luminaires | DALI     |
| Electrical voltage           | 220-240V |
| Frequency                    | 50/60Hz  |

 **CE** IP 20

\*±10 %

## Downloads

Installation instructions



Photos

