

Luminaire

# Global Trac on/off


wl-XTSF4X00-X, X



Type of installation	Recessed
Light distribution	Direct
Luminaire shape	Linear
Colour of the luminaires	White
Material	Aluminium
Warranty	2 years
Description of luminaires	Luminaire recessed
Dimensions	1000 mm × 56 mm × 33 mm
Electrical voltage	230V/400V
Frequency	50/60Hz



CE IP 20


































\*±10 %


**Accessories**

**XTAK11-1, grey**  
Hook, gray


**XTAK142-1, grey**  
Hook Base, gray

**XTAK142-2, black**  
Hook Base, black


**XTAK142-3, white**  
Hook Base 2mm wire,  
white

**XTS11-1, grey**  
End feed, gray

**XTS11-2, black**  
End feed, black

**XTS11-3, white**  
End feed, white

**XTS12-1, grey**  
End feed, gray

**XTS12-2, black**  
End feed, black

**XTS12-3, white**  
End feed, white

**XTS14-1, grey**  
Middle feed, gray

**XTS14-2, black**  
Middle feed, black

**XTS14-3, white**  
Middle feed, white

**XTS21-1, grey**  
Straight connector, gray

**XTS21-2, black**  
Straight connector,  
black

**XTS21-3, white**  
Straight connector,  
white

**XTS24-1, grey**  
Adjustable corner  
connector, gray

**XTS24-2, black**  
Adjustable corner  
connector, black

**XTS24-3, white**  
Adjustable corner  
connector, white

**XTS34-1, grey**  
L-feed, gray

**XTS34-2, black**  
L-feed, black

**XTS34-3, white**  
L-feed, white

**XTS35-1, grey**  
L-feed, gray

**XTS35-2, black**  
L-feed, black

**XTS35-3, white**  
L-feed, white

**XTS36-1, grey**  
T-feed, gray

**XTS36-2, black**  
T-feed, black

**XTS36-3, white**  
T-feed, white

**XTS37-1, grey**  
T-feed, gray

**XTS37-2, black**  
T-feed, black

**XTS37-3, white**  
T-feed, white

**XTS38-1, grey**  
X-feed, gray

**XTS38-2, black**  
X-feed, black

**XTS38-3, white**  
X-feed, white

**XTS39-1, grey**  
T-feed, gray

**XTS39-2, black**  
T-feed, black

**XTS39-3, white**  
T-feed, white

**XTS40-1, grey**  
T-feed, gray

**XTS40-2, black**  
T-feed, black

**XTS40-3, white**  
T-feed, white


**XTS41-1, grey**  
End Cap, gray

**XTS41-2, black**  
End Cap, black




**XTS41-3, white**  
End Cap, white




**XTSF4100-1, grey**  
recessed linear track 1m,  
gray




**XTSF4100-2, black**  
recessed linear track 1m,  
black




**XTSF4100-3, white**  
recessed linear track 1m,  
white




**XTSF4200-1, grey**  
recessed linear track 2m,  
gray




**XTSF4200-2, black**  
recessed linear track 2m,  
black




**XTSF4200-3, white**  
recessed linear track 2m,  
white




**XTSF4300-1, grey**  
recessed linear track 3m,  
gray




**XTSF4300-2, black**  
recessed linear track 3m,  
black




**XTSF4300-3, white**  
recessed linear track 3m,  
white



**XTSF4400-1, grey**  
recessed linear track 4m,  
gray



**XTSF4400-2, black**  
recessed linear track 4m,  
black



**XTSF4400-3, white**  
recessed linear track 4m,  
white